

# ATIPXpress

## Visually Impaired Support

v11.11.0

February 2025



OPEXUSTECH.COM

© AINS LLC, 2025

# ATIPXpress v11.11.0 Visually Impaired Support

## Notice of Rights

Copyright © 2025, OPEXUS, LLC d/b/a OPEXUS. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission of the publisher: OPEXUS, LLC. For information on obtaining permission for reprints and excerpts, contact [info@opexustech.com](mailto:info@opexustech.com).

Additionally, all copyrights, confidential information, patents, design rights and all other intellectual property rights of whatsoever nature contained herein are, and shall remain, the sole and exclusive property of the publisher.

## Notice of Liability

The information in this publication is believed to be accurate and reliable. However, the information is distributed by the publisher (OPEXUS, LLC.) on an “As Is” basis without warranty for its use, or for any infringements of patents or other rights of third parties resulting from its use.

While every precaution has been taken in the preparation of this publication, neither the author (or authors) nor the publisher will have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused, directly or indirectly, by the information contained in this publication or by the computer software and hardware products described in it.

## Notice of Trademarks

The publisher’s company name, company logo, company patents, and company proprietary products are trademarks or registered trademarks of the publisher: OPEXUS, LLC. All other trademarks or registered trademarks are the property of their respective owners.

## Non-Disclosure Statement

This document’s contents are confidential and proprietary to OPEXUS, LLC. This document cannot be released publicly or outside the purchasing agency without prior written permission from OPEXUS, LLC.

Images in this manual are used as examples and may contain data and versioning that may not be consistent with your version of the application or information in your environment.

## Additional Notice

Information in this documentation is subject to change without notice and does not represent a commitment on the part of OPEXUS, LLC.

Notwithstanding any of the foregoing, if this document was produced as a Deliverable or other work for hire under a contract on behalf of a U.S. Government end user, the terms and conditions of that contract shall apply in the event of a conflict.



# Contents

1	Support for the Visually Impaired .....	4
1.1	Using This Manual.....	4
1.2	Recommended Themes.....	4
2	Using JAWS with ATIPXpress .....	6
2.1	Online Manual (508) Notification.....	6
2.2	Asterisk Definition and Mandatory Field Notification.....	6
2.3	Adding > Symbol to JAWS Dictionary.....	6
2.4	Home Page and Outlook Bar Shortcut Keys .....	7
2.5	Home Page Shortcut Keys.....	7
2.6	How to Read the Entire Page.....	7
2.7	How to Modify Items in a Table .....	8
2.8	Useful JAWS Keys .....	9



# 1 Support for the Visually Impaired

ATIPXpress offers tools to assist visually impaired and blind users in using the software. In this topic, we discuss recommended themes as well as JAWS support.

## 1.1 Using This Manual


The following formatting conventions are used in this manual to highlight important information:

- *Italicized* text indicates a location, for example a particular *Folder*, *Tab*, or *Window*.
- **Bold** text indicates a specific user action, such as clicking a **button**.
- **Red text** is used in *Notes* to bring attention to crucial information.

## 1.2 Recommended Themes

ATIPXpress includes several available visual themes for the application. For visually impaired users, we recommend using either the *Outlook* or *Windows 10* themes, which offer high contrast and added usability. To change your theme, follow the steps below:

Click your **User Menu** and select **Preferences**.



User General Preferences, locate the Application Theme drop down. Here, you'll see the selections, including Outlook and Web Blue, as shown below:



## Support for the Visually Impaired

The screenshot shows the 'General Preferences' form in a web application. The 'Application Theme' dropdown menu is open, displaying a list of themes. Two red arrows point to the 'Outlook (High Contrast - 508)' and 'Windows 7 (High Contrast)' options. The 'Records per Page' is set to 20. The 'Time Zone' is set to 'Default'. The 'Receive Job Email Notifications' is set to 'Metro Touch'. The 'Show Inactive Custom Fields in Search' checkbox is unchecked. The 'Notes' section states: 'Maximum number of Records per Page is 100. Changes made to Language will take affect after the user logs out and logs back into the application.'

Home >> Preferences

Note: \* fields are mandatory

**General Preferences**

Records per Page\* : 20

Application Theme : Default

Time Zone\* : Default

Receive Job Email Notifications : Metro Touch

☐ Show Inactive Custom Fields in Search

Notes: Maximum number of Records per Page is 100.

Changes made to Language will take affect after the user logs out and logs back into the application.

Save Refresh

In the example below, we've selected the Outlook (High Contrast - 508) theme. The updated theme is shown below:

The screenshot shows the 'General Preferences' form with the 'Application Theme' set to 'Outlook (High Contrast - 508)'. The 'Records per Page' is set to 20. The 'Time Zone' is set to '(UTC-05:00) Eastern Time (US & Canada)'. The 'Receive Job Email Notifications' is set to 'All Notifications'. The 'Show Inactive Custom Fields in Search' checkbox is unchecked. The 'Notes' section states: 'Maximum number of Records per Page is 100. Changes made to Language will take affect after the user logs out and logs back into the application.'

Home >> Preferences

Note: \* fields are mandatory

**General Preferences**

Records per Page\* : 20

Application Theme : Outlook (High Contrast - 508)

Time Zone\* : (UTC-05:00) Eastern Time (US & Canada)

Receive Job Email Notifications : All Notifications

☐ Show Inactive Custom Fields in Search

Notes: Maximum number of Records per Page is 100.

Changes made to Language will take affect after the user logs out and logs back into the application.

Save Refresh



## 2 Using JAWS with ATIPXpress

### 2.1 Online Manual (508) Notification

The user is notified of the availability of the 508 compliant version of the Online Manual while the URL is loading, prior to being notified of ATIPXpress Action Options.

### 2.2 Asterisk Definition and Mandatory Field Notification

All asterisks are identified as wild card searches in search screens. Additionally, the user is notified.

### 2.3 Adding > Symbol to JAWS Dictionary

For JAWS to be able to accurately read the instructions in this manual, you need to add the > symbol to the JAWS dictionary.

**Note: After performing the steps below, JAWS will be able to read the > symbol in your browser.**

Perform the following steps to add the > symbol to the JAWS dictionary:

1. Press **Insert+F2** to open the list of JAWS managers.
2. Press **D** to move to Dictionary Manager, and press **Enter** to open it. The browser dictionary file will open.
3. The **Add** button will be selected. Press **Spacebar** to activate the **Add** button.
4. Type the > symbol.
5. Press **Tab** to move to the **Replacement Word** edit field.
6. Type "**Click**".
7. Press **Enter** to close the Add Dictionary Definition dialog box.
8. Press **Alt+F4** to close the JAWS Dictionary Manager.
9. Answer "**Yes**" to save the changes.



## 2.4 Home Page and Outlook Bar Shortcut Keys

The Home Page and Outlook Bar shortcut keys are read aloud once the URL loads.

## 2.5 Home Page Shortcut Keys

Follow the steps below to reach/navigate the **Help**, **Username**, or **Home** pages from the *Home Page*.

Page	Steps
<b>Help</b>	<ol style="list-style-type: none"> <li>1. Press <b>ALT + L</b>, and then press <b>Enter</b> to see the sub menus.</li> <li>2. <b>Optional:</b> To navigate the sub menus <ol style="list-style-type: none"> <li>a. Press <b>Insert + Z</b> to turn off Virtual PC Cursor.</li> <li>b. Optional: Press the <b>down</b>, and <b>up</b>, <b>arrow</b>, and then press <b>Enter</b> to select the option.</li> <li>c. Optional: Press <b>Esc</b> to collapse the submenus</li> </ol> </li> </ol>
<b>Username</b>	<ol style="list-style-type: none"> <li>1. Press <b>Enter</b> to see the sub menus.</li> <li>2. Optional: To navigate the sub menus: <ol style="list-style-type: none"> <li>a. Press <b>Insert + Z</b> to turn off the Virtual PC Cursor.</li> <li>b. Optional: Press the <b>Down</b>, and <b>Up</b>, <b>Arrow</b> keys, and then press <b>Enter</b> to select the option.</li> <li>c. Optional: Press <b>Esc</b> to collapse the submenus.</li> </ol> </li> </ol>
<b>Home</b>	<ol style="list-style-type: none"> <li>1. Press <b>Insert + Z</b> to turn off the Virtual PC Cursor.</li> <li>2. Optional: Press the right, and left, arrow to navigate the menu items, and the up, and down, arrow keys to navigate the sub menu options.</li> <li>3. Optional: Press <b>Enter</b> to select the option.</li> </ol>

## 2.6 How to Read the Entire Page

Perform the steps below to have the whole page read aloud to the user:



Action	Steps
To go to the top of the page	Press <b>Insert + Z</b> to turn off the Virtual PC Cursor, and then press <b>Ctrl + Home</b> .
To read the page in Sequential Order	Press <b>Insert + Z</b> to turn off the Virtual PC Cursor, and then press the <b>down</b> , and <b>up</b> , arrow keys.
To Read All Pages	<ol style="list-style-type: none"> <li>1. Press <b>Insert + Z</b> to turn ON the Virtual PC Cursor.</li> <li>2. Press <b>Insert + Down Arrow</b>.</li> </ol>
To Read All "Pop Up" Screens	Press <b>Insert + B</b> .

## 2.7 How to Modify Items in a Table

You can manually select a row in a table, and then navigate to the toolbar to perform actions.

Action	Steps
To read the full row of a table/grid	<ol style="list-style-type: none"> <li>1. Press <b>Insert + Z</b> to turn ON the Virtual PC Cursor.</li> <li>2. Press the <b>Ctrl + Down</b>, or <b>Ctrl + Up, Arrow</b> keys.</li> </ol>
To read one attribute of a row at one time	<ol style="list-style-type: none"> <li>1. Press <b>Insert + Z</b> to turn ON the Virtual PC Cursor.</li> <li>2. Press the <b>Arrow</b> keys.</li> </ol>
To read just the edit links of each rows	<ol style="list-style-type: none"> <li>1. Press <b>Insert + Z</b> to turn ON the Virtual PC Cursor.</li> <li>2. Press the <b>Tab</b> key.</li> </ol>





Action	Steps
To edit a row	<ol style="list-style-type: none"> <li>1. Turn the PC cursor on.</li> <li>2. Press <b>Tab</b> until the row you want to edit is selected.</li> <li>3. Press Enter to go to the <i>Edit</i> screen.</li> </ol>
To select a row and re-direct to the action bar	Press <b>F10 + Alt + Access Key</b> .

## 2.8 Useful JAWS Keys

Additional useful JAWS keys are described below.

Action	Steps
To read the form title	Press <b>Insert + T</b> .
To open "Add" buttons (i.e. Add attachment, Add Logo, etc.)	Press the button that helps you accomplish your task, and then press the <b>Spacebar</b> .