ATIPXpress press

Relativity Integration Configuration

v11.7.0 May 2024

AX v11.7.0 Relativity Integration Configuration

Notice of Rights

Copyright © 2024, AINS, LLC d/b/a OPEXUS. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission of the publisher: AINS, LLC. For information on obtaining permission for reprints and excerpts, contact info@opexustech.com.

Additionally, all copyrights, confidential information, patents, design rights and all other intellectual property rights of whatsoever nature contained herein are, and shall remain, the sole and exclusive property of the publisher.

Notice of Liability

The information in this publication is believed to be accurate and reliable. However, the information is distributed by the publisher (AINS, LLC) on an "As Is" basis without warranty for its use, or for any infringements of patents or other rights of third parties resulting from its use.

While every precaution has been taken in the preparation of this publication, neither the author (or authors) nor the publisher will have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused, directly or indirectly, by the information contained in this publication or by the computer software and hardware products described in it.

Notice of Trademarks

The publisher's company name, company logo, company patents, and company proprietary products are trademarks or registered trademarks of the publisher: AINS, LLC. All other trademarks or registered trademarks are the property of their respective owners.

Non-Disclosure Statement

This document's contents are confidential and proprietary to AINS, LLC. This document cannot be released publicly or outside the purchasing agency without prior written permission from AINS, LLC.

Images in this manual are used as examples and may contain data and versioning that may not be consistent with your version of the application or information in your environment.

Additional Notice

Information in this documentation is subject to change without notice and does not represent a commitment on the part of AINS, LLC.

Notwithstanding any of the foregoing, if this document was produced as a Deliverable or other work for hire under a contract on behalf of a U.S. Government end user, the terms and conditions of that contract shall apply in the event of a conflict.

Contents

1	Intro	oduction	.4
		About Relativity Integration	
	1.2	Relativity Integration Prerequisites	.4
2	Rela	tivity Integration Configuration	. 5
	2.1	Relativity Connector Settings	. 5
	2.2	Configure Scheduler for Relativity	.6
	2.3	Configure Redaction Codes	.7

1 Introduction

1.1 About Relativity Integration

Users must configure their application settings prior to integrating ATIPXpress with Relativity. This manual outlines the requirements and steps for configuring ATIPXpress for Relativity integration.

1.2 Relativity Integration Prerequisites

Complete the following steps to ensure your ATIPXpress application is ready to be configured for Relativity integration:

- 1. If you are not on ATIPXpress version 11.3.0 or higher, upgrade the application first. Follow the steps in the ATIPXpress Deployment Manual to upgrade your application.
- 2. Upgrade the application license in the Administration settings.

(!!) Note: The Relativity feature is tied to your application license, and the feature is automatically enabled with the appropriate license. Please upgrade your license to include the Relativity integration.

- 3. Ensure that the Relativity integration is enabled in the *Application Features* menu (Administration > Features and Licenses > Application Features). It should be enabled automatically after upgrading your license. If not enabled after upgrading your license, select the **Relativity Integration** checkbox and save the configuration.
- 4. The *Relativity Connector Settings* menu should be visible when accessing **Administration > Document Management.** If the menu is not visible, log out of the application and log back in.

Once these prerequisites have been met, you can set configurations within the application to enable Relativity.

2 Relativity Integration Configuration

The following subsections outline each step necessary to successfully enable Relativity.

2.1 Relativity Connector Settings

Follow the steps below to configure the Relativity Connector Settings:

(!!) Note: Relativity Admin credentials are required to view all workspaces and production sets, and to allow importing of production sets/documents.

1. Navigate to the *Relativity Connector Settings* menu (Administration > Document Management > Relativity Connector Settings):

f	Relativity Connector Settings			x
Enable Relativity Connector				
	Relativity Site URL * :			
	Authentication Mode * : Bearer Token			
	ClientID* :			
	Client Secret * :			
	Save Refre	sh	Close	
	Remarque: * fields are mandatory.			_

- 2. First, select the **Enable Relativity Connector** checkbox.
- 3. Change the *Relativity Site URL* to the host name of the Relativity site you wish to use.
- 4. Set the desired **Authentication Mode**. We recommend using *Bearer Token* authentication. Alternatively, you can select *Basic* authentication.
 - a. *Bearer Token*: Use the following link to create a bearer token in Relativity. Here you can obtain the *Client ID* and *Client Secret* for the token: <u>https://help.relativity.com/RelativityOne/Content/Relativity/Authentication/OAuth2_clients.htm</u>

Configuring Relativity Integration

Name	RelativityFXBearerToken
Enabled	Yes
Flow Grant Type	Client Credentials
Context User	Admin, Relativity
Access Token Lifetime	512,640 minutes
Is System	No
Client Id	
Client Secret	

- b. *Basic Authentication*: If using *Basic* authentication, enter the associated Relativity Username and Password in the fields provided.
- 5. Click Save to save the settings.

2.2 Configure Scheduler for Relativity

You'll need to configure the Scheduler to run the Relativity Document Import job.

- 1. Go to Administration > System Administration > Scheduler Configuration
- 2. Add the Relativity Import Production Sets Job.

Job Name	Is System Job?	Instances	Remove]		
Sends all outgoing email messages	Yes	1	×			
EDR - Jobs	No	1	×			
EDR Search Criteria	No	1	×			
Send/Save Documents for Consultation	No	1	×			
Add collaboration Documents to Request folder	No	1	×			
Save To Disk	No	1	×			
Document Delivery	No	1	×	-		
Relativity Import Production Sets Job Add New Jobs						
Check All			Save Refresh Close	e		
Delete Scheduler Trace Files						
Relativity Import Production Sets Job						

3. Click Save to save your settings.

2.3 Configure Redaction Codes

All Relativity markup codes must also be present in ATIPXpress. If any Relativity codes are not also included in AX, attempting to import Relativity documents will throw an error. Follow the steps below to ensure that your AX environment is configured for all markup codes:

- 1. Log in to Relativity, then navigate to *Workspaces* and select your workspace.
- 2. Go to Case Admin > Markup Sets.
- 3. Note the markup codes configured in Relativity. This full list must be reflected in ATIPXpress Administration.
- 4. Log in to ATIPXpress, then navigate to **Administration > Document Management > Redaction Codes.**
- 5. Compare the listed Redaction Codes to ensure they match the Relativity Markup Codes.
- 6. If any Relativity markup codes are not present in ATIPXpress, use the **New** option to add the missing codes. Be sure to mark "Include in Annual Report" for any codes that should be reported in the Annual Report.