


eCAGE



Portal Installation Manual

v11.1.0

August 2023



eCASE 11.1.0 Portal Installation Manual

Notice of Rights

Copyright © 2023, AINS, LLC d/b/a OPEXUS. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission of the publisher: AINS, LLC. For information on obtaining permission for reprints and excerpts, contact info@opexustech.com.

Additionally, all copyrights, confidential information, patents, design rights and all other intellectual property rights of whatsoever nature contained herein are, and shall remain, the sole and exclusive property of the publisher.

Notice of Liability

The information in this publication is believed to be accurate and reliable. However, the information is distributed by the publisher (AINS, LLC.) on an “As Is” basis without warranty for its use, or for any infringements of patents or other rights of third parties resulting from its use.

While every precaution has been taken in the preparation of this publication, neither the author (or authors) nor the publisher will have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused, directly or indirectly, by the information contained in this publication or by the computer software and hardware products described in it.

Notice of Trademarks

The publisher’s company name, company logo, company patents, and company proprietary products are trademarks or registered trademarks of the publisher: AINS, LLC. All other trademarks or registered trade marks are the property of their respective owners.

Non-Disclosure Statement

This document’s contents are confidential and proprietary to AINS, LLC. This document cannot be released publicly or outside the purchasing agency without prior written permission from AINS, LLC.

Images in this manual are used as examples and may contain data and versioning that may not be consistent with your version of the application or information in your environment.

Additional Notice

Information in this documentation is subject to change without notice and does not represent a commitment on the part of AINS, LLC.

Notwithstanding any of the foregoing, if this document was produced as a Deliverable or other work for hire under a contract on behalf of a U.S. Government end user, the terms and conditions of that contract shall apply in the event of a conflict.



Contents

1	Introduction	4
1.1	Scope.....	4
1.2	Overview	4
2	Getting Started	5
2.1	Prerequisites.....	5
2.2	eCASE Portal Database Account Requirements	5
3	Create the eCASE Portal Database.....	7
4	Application Installation.....	11
4.1	Set up the eCASE Portal Application	11
4.2	eCASE Portal Database Configuration	18
5	Verify Access to eCASE Portal	20
6	Configuring Portal Settings in the eCASE Application.....	22
6.1	Main Form Templates.....	26
6.2	Other Form Templates.....	27
7	eCASE Portal Uninstallation.....	30
7.1	Uninstall the eCASE Portal Application.....	30



1 Introduction

1.1 Scope

The purpose of this manual is to guide the user through the eCASE Portal installation process. Information presented in this document presumes the following:

- Windows 2016 R2/Windows 2019 Server is installed on the application server.
- eCASE is installed and configured on the application server.

1.2 Overview

eCASE is a comprehensive web-based case management platform that allows users to implement business applications that can automate business process, workflows, and interactions between case workers and employees/public.

eCASE Portal is a website that provides eCASE users the ability to access and submit forms which are generated as folders in eCASE for further processing. eCASE Portal is built by using Microsoft .NET-connected technologies so that it is easy to deploy, customize, and use.



2 Getting Started

2.1 Prerequisites

Before proceeding with the installation, it is necessary to:

- Create and configure the SQL 2016/17/19 database server.
- Install Microsoft .NET Framework 4.8 on the application server.
- Configure the SMTP Server to relay email to the email server when using eCASE Portal. The SMTP server must be configured to relay email messages to other domains.
- Portal Sync is a feature of the eCASE Scheduler service and runs on 4.8 with ADO.NET Data Services Update for .NET Framework 4.8.

2.2 eCASE Portal Database Account Requirements

There are three accounts the administrator must provision to configure the application and database servers. The table below outlines the type of accounts, their purpose, and requirements.

Account	Purpose	Requirement
Application Setup User	This user installs and configures the eCASE Portal application.	This account is setup as a Domain/Local User and is a member of the Administrators Server Groups.
eCASE Portal Database Creation User	This user creates the eCASE database user account and grants the required permissions.	This account is added to the following SQL Server security roles for the user that creates the database either in SQL Server (Window User) or Windows Authentication Mode (NT User): • dbcreator • securityadmin



Getting Started

Account	Purpose	Requirement
eCASE Portal Database User	This user performs all eCASE Portal application database actions.	This account must be assigned as a member of the db_owner database role for the eCASE Portal SQL Server database.




3 Create the eCASE Portal Database

The purpose of the eCASE Portal database is to collect, store, and organize data in a way that eCASE Portal user can access. This section outlines the procedures to create a database for use with the eCASE Portal application, specifically the SQL Server database type.

(!!) Notes:

- Please review the database server requirements prior to setting up the database. If the requirements are not met, the database will not function.
- Make sure to run the Setup.exe file from the application server.
- Install Microsoft .NET Framework 4.8 on the application server.

1. Open the *eCASE Portal 11.1.0* folder and right-click the **Setup.exe** file.
2. Select **Run as administrator**. The *eCASE Portal Setup wizard* appears.



3. Select **Create eCASE Portal Database > SQL Server** for the database type.



Create the eCASE Portal Database



Create eCase Portal Database

SQL Server

Portal database and executes the script to set up the default

4. The *eCASE Portal Database Server* window appears.
5. Ensure the **Set up new eCASE Portal 11.1.0 database** radio button is selected and click **Continue**. The *eCASE Portal Database Setup* window appears.
6. Enter the required information outlined in the table below and click **Next**.

(!!) Note: If Windows Mode is selected as the *Authentication Mode*, enter the Server Name only. The *Domain* and *Windows User* fields are automatically populated based on the current user.

Field Name	Description
Server Name	The name given to the eCASE Portal database server.
Login Name	The unique identifier for the database owner that manages the database.
Password	The security credential associated with the database owner Login Name used to gain access to the database.



Field Name	Description
Domain	The name of the IP resource used to access the database server.
Windows User	A user with dbcreator and security admin privileges.

7. Enter the required information outlined in the table below and click **Next**.

eCase Portal Database Setup

Enter the database name, user login and password to be created, in the specified text boxes.

Create Database

Enter the database name to create

☒ Database Name: PortalDB

☐ Select Database: eCase_Contracts105

A login ID and password are required to access the created database. Enter a login ID and password to create.

Login ID: PortalUser


Password: *****

☐ Enforce Password Policy

Back Next Cancel

Field Name	Description
Database Name	The name given to the eCASE Portal database during creation.
Login ID	The unique identifier for a user who has access to the eCASE Portal database.
Password	The security credential associated with the above user to gain access to the database.
Enforce Password Policy	Click this checkbox to enforce the password policy for SQL Server.

8. The *Database Name* and *Login ID* fields are automatically populated as **PortalDB** and **PortalUser**, respectively. Users can accept the preset or change the database and login names, if desired. Enter the **Password** for the user account in the *Password* field and click **Next**.
9. The *Setup Progress* window appears and displays a list of components to configure. Click **Finish** to continue setting up the eCASE Portal database.



10. A confirmation message appears after the database has been created. Click **OK** to close the message and return to the *eCASE Portal Setup* wizard.


4 Application Installation

The purpose of the application server is to handle all eCASE Portal application operations between users and the eCASE Portal database. This section provides instructions on how to install the eCASE Portal on the application server.

(!!) Note: Begin Step 3 if continuing from the previous section (Create the eCASE Portal Database).

4.1 Set up the eCASE Portal Application

1. Open the **eCASE Portal 11.1.0** folder.
2. Right-click the **Setup.exe** file and select **Run as administrator**. The *eCASE Portal Setup* wizard launches.
3. Click **Install eCASE Portal Application Server**. The *eCASE Portal Application Server* window appears.




4. Click **Continue**.
5. The *eCASE Portal Setup* window appears.
6. Click **Next**. The *License Agreement* window appears.
7. Read the License Agreement carefully and select the **I accept the license agreement** radio button.



8. Click **Next** to continue the setup process.
9. Click the **Back** button to return to the *Welcome* window.
10. Click **Cancel** to abort the eCASE Portal installation.

(!!) Notes:


- The **Next** button remains disabled until the option to accept the license agreement is selected.
 - The **Reset** button sets the selection to the default option of *I do not Accept the License Agreement*.
11. Enter the name of the user and organization, then click **Next**.
 12. Ensure that the *Anyone Who Uses This Computer* radio button is selected.




The screenshot shows the 'eCase Portal Setup' window with the 'User Information' tab selected. The window title is 'eCase Portal Setup'. Below the title bar, it says 'User Information' and 'Enter the following information to personalize your installation'. There are two text input fields: 'Full Name:' and 'Organization:'. Below these fields, there is a paragraph of text: 'The settings for this application can be installed for the current user or for all users that share this computer. You must have administrator rights to install the settings for all users. Install this application for:'. Below this text are two radio buttons: 'Only for me (Administrator)' and 'Everybody (all users)'. The 'Everybody (all users)' radio button is selected. At the bottom left, it says 'Advanced Installer'. At the bottom right, there are three buttons: '< Back', 'Next >', and 'Cancel'. The 'Next >' button is highlighted with a blue border.

13. Select the eCASE features to include in the installation by clicking the drop-down arrow next to a feature and selecting one of the following options:
 - a. **Will be installed on the local drive:** Installs the selected feature only.
 - b. **Entire feature will be installed on local hard drive:** Installs everything associated with the selected feature.
 - c. **Entire feature will be unavailable:** Excludes installation of a feature.







14. Review the instructions for setting up the default folder location. Click **Browse** to change the destination folder.



15. Click **Next** to accept the destination folder and to continue with the installation. The *Ready to Install* window appears.




16. Click **Next** to proceed with the installation. The *Updating System* window appears. The *eCASE Portal Setup wizard* begins the process of copying files and configuring the system. (This may take several minutes.)



(!!) Note: It is highly recommended not to interrupt the Update process. Refer to Appendix A for uninstall procedures.

17. Once the eCASE Portal application is installed, the *eCASE Portal Configuration* window opens.
18. Users can close this window and enter the database and authentication details later or enter the required information outlined in the table below.



eCase Portal Database Configuration

Configuration Authentication

Enter the required information to configure the eCase Portal database.

Database type: SQL Server

Database server name:

Database name:

☐ Windows Authentication

Login name:

Password:

Note: All the Applications/Services can be configured by selecting "All" and saving the database information.

Test Connection Save Close

(!!) Notes:

- The *Database Type* field is automatically populated and disabled. SQL Server is the only database type supported at this time.
- The user is automatically logged in to the database when Windows is selected as the *Portal Login Mode*.

Field Name	Description
Database Server Name	The title of the server where the database is stored.
Database Name	The name given to the eCASE Portal database during creation.
Windows Authentication	Clicking this checkbox enables Windows Authentication.



Field Name	Description
Login ID	The unique identifier for the user having access to the eCASE Portal database.
Password	The security credential associated with the user to gain access to the database.
Enforce Password Policy	Select this checkbox to enforce the password policy for SQL Server.
Login Name	The unique identifier for the user who has administrative privileges for the database server.
Password	The security credential associated with the admin user.

19. Complete the Authentication details.

The screenshot shows the 'eCase Portal Database Configuration' window with the 'Authentication' tab selected. The window is divided into three main sections: Authentication Details, Admin Details, and Data Service Details.

Authentication Details:

- Portal login mode: Forms (dropdown menu)
- Membership provider: Database (dropdown menu)

Admin Details:

- Portal admin login mode: Forms (dropdown menu)
- Login Name: Admin (text field)
- Password: (text field)
- Two Factor Authentication: ☐
- Client Cert Subject Fields: (text field)

Data Service Details:

- Authentication Mode: None (dropdown menu)
- ☐ Require SSL

At the bottom of the window are three buttons: 'Test Connection', 'Save', and 'Close'.

The Portal Login Mode selection may open additional fields, and the available selections include:

Selection	Definition
Forms	The standard level of access to the eCASE application, Username and Password.
SAML	Allows the user to automatically log into eCASE without being prompted for login credentials.
Windows	An authentication service provided by one remote server to other distributed servers, on the Internet or an intranet; users must submit requests to obtain login/logout credentials.


(!!) Note: If the Forms portal login mode is selected, enter the password for Admin account and complete the authentication details.

The screenshot shows the 'eCase Portal Database Configuration' window with the 'Authentication' tab selected. The window is divided into three main sections: Authentication Details, Admin Details, and Data Service Details.

- Authentication Details:**
 - Portal login mode: Forms (dropdown)
 - Membership provider: Database (dropdown)
- Admin Details:**
 - Portal admin login mode: Forms (dropdown)
 - Login Name: Admin (text field)
 - Password: ***** (password field)
 - Two Factor Authentication: ☐
 - Client Cert Subject Fields: (empty text field)
- Data Service Details:**
 - Authentication Mode: None (dropdown)
 - ☐ Require SSL

At the bottom of the window are three buttons: 'Test Connection', 'Save', and 'Close'.

20. Enter the database details described in the table above and click **Save**. A confirmation message appears. Click **OK** to close the message window.
21. Click **Close** to exit the *eCASE Portal Configuration* window.
22. The following screen is displayed informing users that the application has been installed successfully. Click **Finish** to return to the setup wizard.




23. Continue with the next section to install eCASE Portal components.

4.2 eCASE Portal Database Configuration

If the eCASE Portal database was not configured during the Installation procedure, administrators can configure it using the configuration utility.

1. Navigate to **Start > All Programs > eCASE Portal**.
2. Right-click **Database Configuration** and select **Run as administrator**. The *eCASE Portal Configuration* window appears.



The image shows a Windows-style dialog box titled "eCase Portal Database Configuration". It has two tabs: "Configuration" (selected) and "Authentication". The "Configuration" tab contains a message: "Enter the required information to configure the eCase Portal database." Below this, there are several input fields: "Database type:" with a dropdown menu showing "SQL Server"; "Database server name:" with a text box containing "qa-ecase-sql17"; "Database name:" with a text box containing "PortalDB106"; a checkbox for "Windows Authentication" which is unchecked; "Login name:" with a text box containing "sa"; and "Password:" with a text box containing "*****". At the bottom of the dialog, there are three buttons: "Test Connection", "Save", and "Close". A red "Note" is displayed at the bottom of the configuration area: "Note: All the Applications/Services can be configured by selecting 'All' and saving the database information."

eCase Portal Database Configuration

Configuration Authentication

Enter the required information to configure the eCase Portal database.

Database type: SQL Server

Database server name: qa-ecase-sql17

Database name: PortalDB106

☐ Windows Authentication

Login name: sa

Password: *****

Note: All the Applications/Services can be configured by selecting "All" and saving the database information.


Test Connection Save Close

3. Enter the required information.
4. Click **Test Connection** to verify the information entered enables a successful connection.
5. Click **Save** to accept the configuration details. A message window appears. Click **OK** to close the message window.
6. Click **Close** to exit the *eCASE Portal Configuration* window.

5 Verify Access to eCASE Portal

After the eCASE Portal application and its components are installed and configured, it is recommended to verify access to the application. By verifying access administrators can resolve any issues or problems encountered in the event the application is inaccessible.

1. Select **Start > All Programs > Administrative Tools > Internet Information Services (IIS) Manager**.
2. Select **Start Page > Sites > Default Web Site**.
3. Select **eCASEPortal**.
4. Select **Manage Applications > Browse Application**.
5. Click **Browse *:80 (http)**. The *eCASE Portal Login Screen* appears.

The image shows the eCASE Portal Login Screen. At the top is the eCASE logo, with a green 'e' in a circle followed by 'CASE' in dark blue. Below the logo are two input fields: 'Username:' and 'Password:'. The 'Username:' field has a vertical cursor. Below the 'Password:' field is a blue 'Sign In' button.

6. Repeat steps 3 – 5, however, select **eCasePortalDataServices** instead of **eCasePortal**.
(!!) Note: If a server error page appears, enable Directory Browsing in IIS Manager by double-clicking Directory Browsing, selecting Enable from the Actions pane, and refreshing the browser.
7. Click the **PortalDataServices.svc** link. The *Portal Web Service* URL appears with XML coding.



Verify Access to eCASE Portal

```
<?xml version="1.0" encoding="UTF-8"?>
- <service xmlns:atom="http://www.w3.org/2005/Atom" xmlns="http://www.w3.org/2007/app"
  xml:base="http://localhost:81/eCasePortalDataServices/PortalDataService.svc/">
  - <workspace>
    <atom:title>Default</atom:title>
    - <collection href="Forms">
      <atom:title>Forms</atom:title>
    </collection>
    - <collection href="Files">
      <atom:title>Files</atom:title>
    </collection>
    - <collection href="AuditActions">
      <atom:title>AuditActions</atom:title>
    </collection>
    - <collection href="FormTemplates">
      <atom:title>FormTemplates</atom:title>
    </collection>
  </workspace>
</service>
```



8. Make note of the Portal Data Services URL. It is required in the *Configuring Portal Settings in the eCASE Application* section.
9. Close both browser windows.



6 Configuring Portal Settings in the eCASE Application

This section details how to setup the eCASE Portal for use in the eCASE application. Before performing these procedures, ensure that the eCASE application and the eCASE Portal are installed and configured on the application server.

1. Login to the eCASE application.
2. Click **Administration > Connectors**. The *Connectors* screen appears.
3. Select Portal row and click on **Edit** or click the **portal** link.
4. Ensure the **Enable eCASE Portal** checkbox is checked.
5. Enter the **Portal Web Service URL** in the *Portal Web Service URL* field.

Portal - Google Chrome

Not secure | qa-ecase-106/eCaseAdmin/Connectors/Portal.aspx

Save | Close

Note: * fields are mandatory when enabled

Enable/Disable	☒
Portal Web Service URL *:	
Sender Display Name *:	
Sender Email Address *:	
User Registration Form :	[Select User Registration Form]
First Name Field *:	
Last Name Field *:	
Email/Login Field *:	
User Registration Contact Type *:	[Select Contact Type]
Security Questions Choice List *:	[Select Security Questions Choice List]

6. Complete the fields outlined in the table below and click **Next**.



Configuring Portal Settings in the eCASE Application

☒ Enable eCase Portal ?	
Portal Web Service Url *:	
Sender Display Name *:	
Sender Email Address *:	
User Registration Form :	New Portal User Registration Form ▼
First Name Field *:	first_name
Last Name Field *:	last_name
Email/Login Field *:	email_id
User Registration Contact Type *:	Congressperson ▼
Security Questions Choice List *:	Security Questions ▼

- Click **Save** or click the **Back** button to return to the *Administration* screen.
- Click **Scheduled Job > Portal Sync** and make sure the **Inactive** checkbox is blank.
- Set the *Refresh time* to 1 minute.
- Click **Save**.

Job	
Job Information	
Job Name	Portal Sync
Description:	Performs data sync between eCase and Portal databases
Start Date/Time	4/26/2019 3 PM 00
Repeat for every	1 Minutes
Execute only on Business Days:	☒
Deactivate on Failure:	☐
Inactive:	☐ Remove Checkmark
Note: * fields are mandatory	


- On the *Scheduled Jobs* screen, click **Portal Update Folder Data Sync** and make sure the **Inactive** checkbox is blank.
 - Set the **Repeat for every time** to 1 minute.
 - Click **Save** and return to the *Administration* page by clicking the **Back** button.
- (!!) **Note: For the Portal to function, ensure that the HTTP Activation Service in the eCASE Application Server Manager is enabled:**

- Navigate to the Application Server where the eCASE Portal is installed.



- **Select to Start > Server Manager > Add Roles and Features.**
- **The *Add Roles and Features* wizard appears. Click Features.**
- **Ensure the HTTP Activation Protocol checkbox is selected.**

14. Navigate to [http://\[ServerName\]/eCasePortal](http://[ServerName]/eCasePortal).



The screenshot shows the eCASE login interface. At the top, the eCASE logo is displayed next to the text 'Workflow Case Tracking and Processing'. Below this, there is a 'User name' label followed by a text input field. Underneath the username field is a 'Password' label followed by a password input field. A prominent blue 'Login' button is located below the password field. At the bottom of the login area, there are two links: 'Forgot Password?' and 'New User: Sign up!'.

15. Click **Sign-Up**. The registration form appears. Complete the fields outlined in the table below and click **Next**.

Field Name	Description
First Name	The first name of the user whom is registering.
Last Name	The last name of the user whom is registering.

Field Name	Description
Email ID	The email which belongs to the registering user.
Password	The password which will authenticate the login credentials of the registering user.

(!!) Note: The following screenshot is for demonstration use only. The administrative user can create and customize forms.

The screenshot shows the eCASE User Registration Form. The header includes the eCASE logo and the text 'Workflow Case Tracking and Processing'. The form title is 'User Registration Form'. It contains four input fields: 'First Name', 'Last Name', 'Email ID', and 'Password'. Below the fields are two buttons: 'Register' and 'Cancel'.

16. The following message appears. Click the link to return to the *Login* page.

The screenshot shows a 'Registration Confirmation' message. The text reads: 'Thank you for registering. You will receive 2 emails from 'diweh@ains.com' email address. Please add this email address as a trusted sender in your email client. One email will contain your username and the other will contain your temporary password. Please use this information to complete the registration process.' Below the text is a blue link: 'Click here to return to the login page'.

- After receiving the Registration Confirmation email, return to [http://\[ServerName\]/eCasePortal](http://[ServerName]/eCasePortal) and login with the User ID and Password in the email you received.
- The *Create New Password* form appears. Enter a **new password** in the *New Password* and *Confirm Password* fields.
- Select a **question** from each of the **Security Questions** drop down lists.
- Enter an **answer** to each Security Question in the *Security Answer* fields.

eCASE® Workflow Case Tracking and Processing

Create New Password

New Password

Confirm Password

Security Question 1

Security Answer 1

Security Question 2

Security Answer 2

Security Question 3

Security Answer 3

[Save New Password](#)

NOTE : User Password should contain at least 1 uppercase letter, 1 lowercase letter, 1 Special character, 1 Numeric character.

21. Click **Save New Password**. A confirmation message will appear.

eCASE® Workflow Case Tracking and Processing

Registration Confirmation

Your password and security questions have been updated successfully!
[Click here to return to the login page](#)

6.1 Main Form Templates

To create a folder for the Case Type Form template, enable the Portal flag for the corresponding template.

1. Click **Administration > Case Types**.
2. Select a case type.
3. Select **Actions > Main Form Template**. The *Main Form Template* screen appears.
4. Click the **Enable for Portal** check box. The *Portal Display Name*, *Portal Group Name*, and *Portal User Role* fields appear.
5. Enter a **name** in the *Portal Display Name* field.
6. Select a **group name** from the *Portal Group Name* drop down list.
7. Enter the **user role** in the *Portal User Role* field.



Configuring Portal Settings in the eCASE Application

Form Template: Employee

Required Database Column Validation: ☐

Enable Locking: ☐

Enable Auto-Locking: ☐

Role Type: InfoPath Workflow

Enable For Portal: ☒ Click this checkbox

Portal Display Name*: eCase Portal

Portal Group Name: Correspondence New Edit Reveals these fields

Portal User Role: Manager

(!!) Note: The *Portal Group Name* field displays option(s) corresponding to the case type form template.

- To create a new Portal Group Name, click **New** or edit an existing group name click **Edit**. The result appears in the *Portal Group Name* drop-down list. If a group name was deleted, it is removed from the drop-down list.

Portal Group Name: *

Note: * fields are mandatory

- Click **Save** to accept the settings.


6.2 Other Form Templates

Enabling the Portal flag for other form templates uses the same procedures as in the previous section.


- Click **Administration > Case Types > Actions > Other Form Template**. The *Other Form Template* screen appears.
- Select a **Form Template** from the Form Template drop-down list.
- Click **Add**. The screen corresponding to the selection appears. (e.g. Telework)



Configuring Portal Settings in the eCASE Application



4. Click the **Enable For Portal** checkbox. The *Portal Display Name*, *Portal Group Name* and *Portal User Role* fields appear.
5. Enter a **name** in the *Portal Display Name* field.



6. Select a **group name** from the *Portal Group Name* drop down list.
- (!!) Note :** The **Portal Group Name** field displays option(s) corresponding to the case type form template.
7. Enter the **user role** in the *Portal User Role* field.
 8. To create a new Portal Group Name, click **New** or edit an existing group name click **Edit**. The result appears in the *Portal Group Name* drop-down list. If a group name was deleted, it is removed from the drop-down list.
 9. Click **Save**.
 10. After the Portal settings are configured in eCASE, a sync service job transfers the form template to the eCASE Portal. As a result, users in eCASE Portal can see the form template, thus enabling the submission of forms from the Portal.
 11. Open Internet Explorer and type the **eCASE Portal URL** in the address field. For example, <http://localhost:80/ecaseportal>. The eCASE Portal Login screen should appear.
 12. Enter the **User Name** and **Password**.



13. Click **Login**. The *eCASE Portal Home* screen appears.

The screenshot shows the eCASE Portal Home interface. On the left, under 'Submittable Forms', there is a table with the following data:

Form Name	Help
Test	Instructions

Below the table is a 'View more »' link. Under 'My Forms', there is a table with the following columns: Form Name, Status, Case Number, and Case Status. Below this table, it says 'You have not submitted any forms'. On the right side, there is a box for 'Unread Messages (0)' with a link to 'Inbox'.

If users submit requests via the eCASE Portal, a corresponding case folder is created in eCASE and made available in the user's eCASE inbox after initiating an assignment. The form status is updated in the eCASE Portal.

The eCASE user and the corresponding user in the eCASE Portal can communicate with each other through the *Portal Messages* feature.

7 eCASE Portal Uninstallation


This section provides instructions on uninstalling eCASE Portal from the application server.

7.1 Uninstall the eCASE Portal Application


The eCASE Portal application can be uninstalled manually or by using the *eCASE Portal Setup Wizard*. If uninstalling the application using the setup wizard, it automatically detects the previous installation and redirect users to uninstall the application. The uninstall process occurs on the application server.

(!!) Note: To manually uninstall the application click Start > All Programs > Control Panel > Programs and Features. Select eCASE Portal then click Uninstall. The application is removed from the server.


1. Expand the eCASE Portal 11.1.0 folder.
2. Right-click on the **Setup.exe** file and select **Run As administrator**. The *eCASE Portal Setup* window appears.



3. Click **Install eCASE Portal Application Server**. The *Windows Installer* window appears briefly. After several seconds the *Application Maintenance* window opens with **Modify** selected as the default radio button.
4. Select **Remove** and click **Next**. The *eCASE Uninstall* window appears.




5. Click **Next**. The *Updating System* window appears.




6. The uninstallation process may take several minutes. Once complete the *Successful Uninstallation* window appears.





7. Click **Finish** to close the *eCASE Setup* window once the application is uninstalled.



(!!) Notes:

- It is highly recommended not to interrupt the Updating System process. To interrupt, click the Cancel button. The *eCASE Portal Setup* window appears. Review the information before proceeding then click Exit Setup to stop the uninstall process or Resume to continue with the uninstallation.
- Exiting the uninstall process while the system is updating does not remove the entire application. Users must restart the entire uninstallation sequence to completely remove the application from the server.

