
FOIAXpress

Collaboration Admin Manual



FOIAXpress v11.11.0 Collaboration Admin Manual

Notice of Rights

Copyright © 2025, OPEXUS, LLC d/b/a OPEXUS. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission of the publisher: OPEXUS, LLC. For information on obtaining permission for reprints and excerpts, contact info@opexustech.com.

Additionally, all copyrights, confidential information, patents, design rights and all other intellectual property rights of whatsoever nature contained herein are, and shall remain, the sole and exclusive property of the publisher.

Notice of Liability

The information in this publication is believed to be accurate and reliable. However, the information is distributed by the publisher (OPEXUS, LLC.) on an "As Is" basis without warranty for its use, or for any infringements of patents or other rights of third parties resulting from its use.

While every precaution has been taken in the preparation of this publication, neither the author (or authors) nor the publisher will have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused, directly or indirectly, by the information contained in this publication or by the computer software and hardware products described in it.

Notice of Trademarks

The publisher's company name, company logo, company patents, and company proprietary products are trademarks or registered trademarks of the publisher: OPEXUS, LLC. All other trademarks or registered trademarks are the property of their respective owners.

Non-Disclosure Statement

This document's contents are confidential and proprietary to OPEXUS, LLC. This document cannot be released publicly or outside the purchasing agency without prior written permission from OPEXUS, LLC.

Images in this manual are used as examples and may contain data and versioning that may not be consistent with your version of the application or information in your environment.

Additional Notice

Information in this documentation is subject to change without notice and does not represent a commitment on the part of OPEXUS, LLC.

Notwithstanding any of the foregoing, if this document was produced as a Deliverable or other work for hire under a contract on behalf of a U.S. Government end user, the terms and conditions of that contract shall apply in the event of a conflict.



Contents

1	Intro	oduction	5
	1.1	In This Manual	5
	1.2	Accessing Portal Administration	5
2	Syst	tem Configuration	7
	2.1	Application Templates	7
	2.2	Correspondence Configuration	8
	2.3	Document Review Flags	9
	2.4	Email Templates	10
	2.4.	1 Email Template Descriptions	10
	2.4.	2 Edit an Existing Email Template	12
	2.5	Error Message	14
	2.6	Find and Redact Patterns	14
	2.6.	1 Create a Find and Redact Pattern Link	15
	2.6.	2 Edit an Existing Find and Redact Pattern	16
	2.7	Help Links Configuration	17
	2.7.	1 Create a New Help Link	18
	2.7.	2 Edit an Existing Help Link	19
	2.7.	3 Remove a Help Link	19
	2.8	Technical Support	20
3	Syst	tem Administration	22
	3.1	Global Address List Settings	22
	3.2	Scheduler Configuration	22
	3.3	System Jobs	23
	3.4	System Settings	24
4	Secu	urity	27
	4.1	Audit Log	27



Contents

	4.1.1	Session Audit Log	27
	4.1.2	2 User Action Log	28
	4.2	Security Configuration	28
5	Orga	anization Setup	33
	5.1	Enterprise	33
	5.1.1	1 Organization Information	33
	5.1.2	2 Banner	33
	5.1.3	3 Logo	34
	5.1.4	Disclaimer	35
	5.1.5	System Notice	35
	5.1.6	S Consultation Instructions	35
	5.1.7	7 RFD Instructions	36
	5.2	Users	37
6	Jobs	·	38
	6.1	All Jobs	38
	6.2	Email Log	38
	6.3	Failed OCR Johs	39



1 Introduction

Welcome to the Collaboration Portal Administration Manual. This manual provides easy reference information to help Collaboration Portal Administrators utilize the system features to best suit your organization's needs.


1.1 In This Manual

This manual includes the following topics:

- System Configuration: Set up Portal application/email templates, error messages, Find and Redact patterns, and more
- System Administration: Adjust Global Address List Settings, Scheduler Configuration, and other system settings
- Security: Configure Portal security options
- Organization Setup: Configure enterprise-wide settings and manage users
- Jobs: View and manage Email Log and Failed OCR Job entries

1.2 Accessing Portal Administration

Portal users with Administrator access can click the *Administration* tab on their Collaboration Portal Home Screen.



The Administration tab opens to the System Configuration screen.



Introduction



Within the Administration folder, you will find *System Configuration*, *System Administration*, *Security*, *Organization Setup*, and *Jobs* configuration pages. See the following sections for details on each.



The System Configuration page allows Administrators to configure the topics listed below. Access System Configuration by navigating to **Administration > System Configuration.**



The following subsections cover each component of the System Configuration page.

2.1 Application Templates


Open the Application Templates page (Administration > System Configuration > Application Templates) to view and edit email templates used in Collaboration Portal.



To make changes to an application template:

- 1. Select the template, then click Edit Application Templates.
- The Edit Application Template screen appears. From here, you can rename the Email Template and/or set the Email Subject.






- 3. In the main text field, edit the content of the email body.
- 4. Make sure to click **Save** when you're finished.

2.2 Correspondence Configuration

The Correspondence Configuration page has options to configure allowed Correspondence formats. Use the checkboxes to indicate which file formats should be available when uploading an attachment to the Correspondence Log of a request.






Make sure to click **Save** when you're finished making changes.

2.3 Document Review Flags

You can view the list of system Document Review Flags and add/remove flags in Administration. Navigate to **Administration > System Configuration > Document Review Flags.**



To make changes to an existing flag, click its title. The *Document Review Flag Details* screen opens. Here, you can change the flag title or mark it active/inactive using the *Active* checkbox. When you're finished, click **Save**.






2.4 Email Templates

Collaboration Portal includes several built-in email templates to alert users when certain events occur in the system.

2.4.1 Email Template Descriptions

Open the *Email Templates* page (**Administration > System Configuration > Email Templates**) to access system email templates.



Template	Description
Program Office Notification of Portal User ID	Notification sent to the Program Office contact when an account is created for that office; includes the user login ID.



Template	Description
Password Information	Notification sent to the Program Office contact when an account is created for that office; includes the login password.
Forgot Password	When a portal user forgets their password, this notification is sent with a temporary password.
Forgot Password Identification Code Notification	A security token provided with a Forgot Password request. The code is only valid during the current session.
Consultation Assignment Notification	Notification sent to the Program Office contact when a consultation assignment is sent to the portal.
Request for Documents Assignment Notification	Notification sent to the Program Office contact when a request for documents assignment is sent to the portal.
Request Message Notification	Notification sent relating to request messages.
Deactivated Reason	When a user account is deactivated, this message is sent to their email stating the reason for the deactivation.
Completed Task Notification	Notification sent when a task is completed in the portal.
Message Notification to FX	Notification sent to FX when a message is logged on a request.
Message Notification to Portal	Message sent to portal user email when a message is sent to the portal from FOIAXpress.




Template	Description
Receipt Confirmed	Notification sent to the originating office when a request is received in the portal.
OTP Notification	Notification sent when a user requests a one-time passcode.
Request for Documents Task Deletion	Message sent to user when a document is removed from their assigned RFD Tasks.
Consultation Task Deletion	Message sent to user when a document is removed from their assigned Consultation Tasks.

2.4.2 Edit an Existing Email Template

To make changes to an email template:


- 1. Select the template, then click **Edit Templates.**
- 2. The Edit Email Template screen appears. From here, you can rename the Email Template and/or set the Email Subject.





3. In the main text field, you can edit the content of the email body.

Note: Click Insert Fields to add a field that will auto-populate based on the request data, such as the Request ID or Sender Last Name.




4. Click **Save** when you're finished.



2.5 Error Message

You can customize the text that appears when a Collaboration Portal user encounters an error. Navigate to **Administration > System Configuration > Error Message.** The *Error Message Configuration* screen opens.




- 1. Enter the message you'd like to appear along with the system error message in the (A) Error Message field.
- 2. In the **(B) Email Address** and **Email Body** fields, enter the email address(es) that should receive error messages from the system and the message content.
- 3. When you're finished, click (C) Save.

2.6 Find and Redact Patterns

Review and edit the Find and Redact Patterns used by Collaboration Portal in the *Find and Redact Patterns* page of the Administration folder.






2.6.1 Create a Find and Redact Pattern Link

To create a new pattern, navigate to **Administration > System Configuration > Find and Redact Patterns.**

1. Click New.




2. The New Find and Redact Pattern window appears. Enter the (A) Pattern Name. Click the (B) Active checkbox if applicable.



3. Next, configure the **Pattern Expression.** Use the radio buttons to select a **Character class** and **Repetitions**, then click **Insert** to add the character.






4. When you're finished, click Save.

2.6.2 Edit an Existing Find and Redact Pattern


To edit an existing Find and Redact Pattern, navigate to **Administration > System Configuration > Find and Redact Patterns.**

1. Select the pattern you'd like to change, then click **Edit.**




 The New Find and Redact Pattern window appears. Enter the (A) Pattern Name. Click the (B) Active checkbox if applicable.





3. Next, configure the **Pattern Expression.** Use the radio buttons to select a **Character class** and **Repetitions**, then click **Insert** to add the character.



4. When you're finished, click Save.


2.7 Help Links Configuration

The Help Links Configuration page is where you can create and edit help links.






Help links are the options available in the application *Help* drop-down menu, as shown below.



2.7.1 Create a New Help Link


To create a new help link, navigate to **Administration > System Configuration > Help Links Configuration.**

1. Click New.



2. The New Help Link window appears. Enter a (A) Display Name, the text that will appear in the drop-down menu. Then, select a (B) Type, either URL or Attachment. Depending on your selection, you will be prompted to add the URL or attach the file.

Note: You can only add PDFs as help link attachments.






3. When you're finished, click **(C) Save** to create the new help link. Once you've closed out of the window and refreshed the application, the help link will appear in the *Help* dropdown menu.


2.7.2 Edit an Existing Help Link

To edit an existing help link, navigate to **Administration > System Configuration > Help Links Configuration.**

4. Select the help link you'd like to change, then click **Edit**.



5. The *Edit Help Link* window appears and you can make changes to the Display Name and URL/Attachment. Click **Save** when you're finished.




2.7.3 Remove a Help Link

To delete a help link, navigate to **Administration > System Configuration > Help Links Configuration.**

1. Select the help link you'd like to remove, then click **Delete**.






2. Click **OK** in the confirmation box. The list of help links will refresh, and the deleted link will be removed from the drop-down menu.

2.8 Technical Support

On the *Technical Support* page, Admin users can customize the Technical Support Link found on the Collaboration Portal Home Page, shown below.




The Technical Support page details can be modified if you'd like to instruct users to call your agency administrator, rather than OPEXUS support.


Note: OPEXUS technical support is dependent on your agency maintaining active software maintenance and customer support agreements. Support agreements are required for responding to "how-to" questions and customer premise infrastructure-related issues. Maintenance agreements are required for software version updates, service releases and software-related issues.



The application includes a default Technical Support template setting, shown below.



If you'd like to modify the content, select the Use Custom Defined Content radio button.




You can use the **(A) toolbar** to edit the **(B) page content.** When you're finished making changes, be sure to click **Save** at the bottom of the page.



3.1 Global Address List Settings

The Global Address List Settings page (Administration > System Administration > Global Address List Settings) includes fields related to LDAP configuration. You can configure the LDAP URL, LDAP User Name, LDAP Password, and Global Address List Limit. When you're finished making changes, click Save.




3.2 Scheduler Configuration

On the *Scheduler Configuration* page, you can view and edit scheduler jobs. Click the X (**Remove** column) to remove the job from the system. To add a job back to the system, use the drop-down menu and click **Add New Jobs**. You can also change the number of **Instances**.


When you're finished making changes, click Save.






3.3 System Jobs

Administrators can view system jobs on the *System Jobs* page (**Administration > System Administration > System Jobs**).



To edit a system job, click the *Job Name* or select the job you'd like to edit and click **Edit.** The *Job Information* page opens, where you can customize certain job details including the description.






Make sure to click Save when your edits are finished.

3.4 System Settings

The System Settings page of Administration contains miscellaneous system configurations including SMTP settings, the application URL, and more.

The following table includes a description of each section. After you've made changes, make sure to click **Save.**





Ref	Name	Description
A	Locations	Configure a disk location for storing and retrieving Correspondence, Documents, and Temp files.
В	Mail Server Address	Provide the SMTP Mail Server address, and the Port number for your email server.
С	PNG Cache Management	Set the PNG Cache Limit, measured in gigabytes, and the frequency (measured in days) at which the PNG Cache is cleared if not accessed.



Ref	Name	Description
D	General Settings Information	Configure the Application URL, Application Title, and Application Email as needed for your organization. Note: If configured for HTTPS on the FOIAXpress Administration side, this application URL must also be configured for HTTPS.
E	General Settings Information – Document Management	Check this box to enable Document Management.




The *Security* page allows administrators to manage the system security settings. To access the page, navigate to **Administration > Security**.

4.1 Audit Log

In the *Audit Log* section (**Administration > Security > Audit Log**), administrators can access two Audit Logs: session and user action. Each is described in the following subsections.

4.1.1 Session Audit Log

The session audit log logs all user sessions, including the IP of the workstation where the portal was accessed and the access times. To view the *Session Audit Log*, navigate to **Administration > Audit Log(s)**.




Use the *Filters* to search for users using the *First Name*, *Last Name*, or *Login From* dates, then click **Search** to display matching results.



4.1.2 User Action Log

The user audit log tracks user actions in the application. To view the *User Audit Log*, navigate to **Administration > Audit Log(s)**.



4.2 Security Configuration

The *Security Configuration* page includes various settings related to logins, session timeouts, and other application security features. The following table outlines each of the fields. Be sure to click **Save** after making changes to this screen.



Security Configuration		ā
		□ Default Values
Passwords Never Expire:	\checkmark	
Passwords are Valid for :		Days
Remind User:		Days before Password Expiration
Do not Allow Reuse of Last:	1	Passwords (Including Current)*
Password can Contain up to:	2	Repeating Characters*
Minimum Password Length:	8	Characters*
Password must Contain at least :	0	Upper Case Letters*
Password must Contain at least :	0	Lower Case Letters*
Password must Contain at least :	0	Special Characters*
Password must Contain at least :	0	Numeric Characters*
Login Fails after:	30	Invalid Login Attempts*
Session Time out after:	150	Minutes*
Alert User:	1	Minute(s) before Session Expires*
Temporary Password Update after login:	\checkmark	
User Account Inactivation:		
Inactivate User Account after :		Days of Non-Usage of Application
Send Inactivity Notification:		Days Prior to Inactivation
Deleted User Login can be Reused:	0	Days after Deletion*
Restrict using numeric at beginning/ending of the password:		
Separate Database Error Log from Application Error Log:	\checkmark	
Enable Audit Log API:		
Send User Account Update Notifications:		
Enable Multi-factor Authentication:		
		Save Refresh Close

Field	Description
Passwords Never Expire	Select this checkbox to prevent user passwords from ever expiring.
Passwords are valid for X days	Enter the number of days a user's password is valid before expiration.



Field	Description
Remind user X days before password expiration	Enter the number of days before the user's password expires that they should be reminded to reset their password.
Do not allow reuse of last X passwords (including current)	Enter a number of previous passwords to disallow reuse of when changing a password.
Passwords can contain up to X repeating characters	Enter the maximum number of repeating characters allowed in user passwords.
Minimum password length	Enter the minimum length required for user passwords in characters.
Password must contain at least X uppercase letters	Enter the minimum number of uppercase characters required in the password.
Password must contain at least X lowercase letters	Enter the minimum number of lowercase characters required in the password.
Password must contain at least X special characters	Enter the minimum number of special characters required in the password.
Password must contain at least X numeric characters	Enter the minimum number of numeric characters required in the password.
Login fails after X invalid login attempts	Enter the maximum number of unsuccessful logins a user is allowed before their user account is locked.



Field	Description
Session time-out after X minutes	Enter in minutes the time a user can be inactive in their current session before the session times out and the user is logged out.
Alert user X minutes before session expires	Enter in minutes the amount of time before session termination that the user receives a timeout alert.
Require Temporary Password Update after login	Select this checkbox to require any user logging in with a temporary password to update their password after login.
User Account Inactivation	Checked to denote an inactive user.
Inactivate user account after X days of inactivity	Enter the number of days a user account is inactive before it is formally inactivated in the system.
Send inactivity notification X days prior to inactivation	Enter in days the amount of time before inactivation that a user should receive an inactivity notification email.
Deleted user login can be reused X days after deletion	Enter the time period (in days) after which a deleted user's login can be reused.
Restrict using numeric at beginning/end of the password	Check this to restrict use of numbers at the beginning and end of Collaboration Portal passwords.



Field	Description
Separate Database Error Log from Application Error Log	Check this box to separate the Database Error Log from the Application Error Log.
Enable Audit Log API	Check this box to enable Audit Log API.
Send User Account Update Notifications	Check this box to enable user account notifications. When checked, another field appears where you can include the email address(es) to receive these notifications.
Enable Multi-factor Authentication	Check this box to enable multi-factor authentication (MFA). When checked, a drop-down field appears where you can select a notification type.
OTP expires in X minutes	Enter the number of minutes the OTP will be active before expiration.



5 Organization Setup

You can make changes to user accounts, configure organization information, and more on the *Organization Setup* tab in Administration.


5.1 Enterprise

On the *Enterprise* page (**Administration > Organization Setup > Enterprise**) you can update organization contact details, customize the appearance of the Collaboration Portal, and set certain system messages.

The Enterprise tab is split into a few sections, described in the following subsections.

5.1.1 Organization Information


Here, you can update your organization's contact information and addresses. Make sure to click **Save** before closing.



5.1.2 Banner

You can add a banner and some header text on the *Banner* tab. They will display in the top left corner of the Collaboration Portal.






To add a banner image, click **(A)** Add Banner and upload your file. To add header text, use the **(B)** Header Line fields.

When you're finished making changes, click (C) Save.

5.1.3 Logo

Use the *Logo* tab to add a logo to Report headers, invoices, and the Collaboration Portal login page.



Click **(A)** Add logo to upload your image. You can also use the **(B)** radio buttons to select whether you'd like the logo to appear on the Login page. When you're finished, click **(C)** Save.


Notes:

- Recommended logo dimensions are 120 x 120.
- Supported file formats are .jpg, .gif, .jpeg, and .svg.



5.1.4 Disclaimer


Edit the disclaimer that appears when users first access the Collaboration Portal on the *Disclaimer* page. Click **Save** when you're finished making changes.



5.1.5 System Notice

If you need to display a system-wide notice, such as to alert users about a scheduled maintenance outage, you can configure it on the *System Notice* tab.

First, set the date you'd like the message to **(A)** Display Through. Then, enter the **(B)** message content in the text box. When you're done, click **(C)** Save.




5.1.6 Consultation Instructions

On the *Consultation Instructions* tab, you can configure the text that appears on Consultations. Make sure to click **Save** when you're done.




Organization Setup



5.1.7 RFD Instructions


Lastly, on the *RFD Instructions* tab, you can configure the text that appears when making a Request for Documents in Collaboration Portal. Make sure to click **Save** when you're done.






5.2 Users

On the *Users* page (Administration > Organization Setup > Users) you can view and manage Collaboration Portal accounts.



To search for specific user, enter (A) Search Criteria, then click (B) Search. The search results will display in the (C) Users list.

To edit a user account, click the Last Name in the list, or select the user and click **(D) Edit.** The *Edit User* page opens where you can add/change/remove the user's account details, including their personal information and login. Click **Save.**






6 Jobs

Administrators can access Collaboration Portal jobs via **Administration > Jobs.** This includes Find and Redact jobs, Save to Disk jobs, Add Documents jobs, and more.

6.1 All Jobs

Navigate to Administration > Jobs > All Jobs to view a full list of Collaboration Portal jobs.




You can use the Filter options to narrow the results to only include specific status, scheduler, user, and/or job type. After entering your filter criteria, click **Refresh.** Click the **Status** line to view further details about the job. You can also download a job's files (when applicable), or remove it from the list.


6.2 Email Log

For a full list of Collaboration Portal emails, you can navigate to **Administration > Jobs > Email Log.** You can use the Filters to limit the results to a specific subject, sender, receiver, etc. Click **Seach** to update the list based on your filter.





To learn more about a specific email, select the email from the list and click **View Email Details.**



6.3 Failed OCR Jobs

The last page in the *Jobs* Administration tab is *Failed OCR Jobs*. Here, Administrators can view a list of failed OCR jobs and retry them if needed.

