



OPEXUS Accessibility Conformance Report

VPAT® Version 2.4

Name of Product/Version: PAL (Public Access Link) 11.3

Report Date: 08/11/2023

Product Description: Integrated directly with FOIAXpress, PAL offers a centralized location for receiving online FOIA requests, delivering responsive records, communicating with requesters, collecting fees, and providing access to released documents in a public reading room in accordance with agency proactive disclosure guidelines.

Contact Information: Pam Ackley

1101 17th St NW #1200 Washington, DC 20036 Phone: 301-670-2300

Evaluation Methods Used: Accessibility tests are integrated into the unit testing and integration testing protocols of developers. For this, they are trained and equipped with state-of-the-art automated accessibility testing tools. Success criteria not covered by the automated tests are covered by the manual testing protocols of our quality assurance testers, which include testing with assistive technologies. Key test methods used listed below.

Tool Based Testing: Sort Site 5.0 and Web Accessibility Tool bar

Color Contrast Testing: Web Accessibility Tool bar Screen Reader Testing: JAWS 2020 & Chrome Screen Magnifier Testing: OS tools on Windows

Manual Accessibility Testing: Keyboard testing with visual focus.

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)





Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline | Included In Report |
|---|--------------------|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) |
| | Level AA (Yes) |
| | Level AAA (No) |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 | (Yes) |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.



WCAG 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <a href="https://www.wcashedu.com/wcashed

Table 1: Success Criteria, Level A

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 1.1.1 Non-text Content (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | Text alternatives provided for non-text content for images and icons. Images and icons are associated with text alternative to inform users with visual impairments of the intent and purpose of such non-text elements through their screen readers or similar assistive technologies. Controls and input fields have descriptive, contextual labels or title attributes. |
| 1.2.1 Audio-only and Video-only (Prerecorded) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) | Not Applicable | |



| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| • 602.3 (Support Docs) | | |
| 1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | |
| 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | |
| 1.3.1 Info and Relationships (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | Assistive technologies can programmatically determine the information, structure and relationships conveyed through presentation. Headings and ARIA landmarks used to help convey presentation. Links and images are unique and contextual making it easy for users to navigate options. Tables mostly use row and column headers. Table headers use scope attribute where appropriate. |
| 1.3.2 Meaningful Sequence (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | The content on our PAL application created in such that assistive technologies can understood and presented in different ways. PAL supports navigation through use of tab key and shift + tab key (for backward navigation through the user interface). Headings and ARIA landmarks used to help convey |



| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| | | relationships between content. • Pages are linear and read clearly without style sheets. |
| 1.3.3 Sensory Characteristics (Level A) Also applies to: Revised Section 508 | Not Applicable | PAL application does not have any sensory characteristics. |
| 1.4.1 Use of Color (Level A) Also applies to: Revised Section 508 | Supports | Information conveyed through font styling or color also communicated through language. Electronic forms use standard HTML mark-up and item labeling. Invisible spans added to provide "selected" text to areas. When color used for warning and confirmation messages, the associated text communicates meaning clearly on its own. Tool menus and tabs use highlighting to indicate current location. This information is also communicated by headings and selected states |
| 1.4.2 Audio Control (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | |
| 2.1.1 Keyboard (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) | Supports | PAL adequately supports keyboard functionality. Forms are accessible by keyboard and assistive technologies. Some forms use a combination of fields, buttons, inline help, and links. Some menu lists require navigation using the tab key rather than the arrow keys — the more commonly expected keyboard behavior |



| Criteria | Conformance Level | Remarks and Explanations | |
|---|-------------------|--|--|
| 602.3 (Support Docs) | | | |
| 2.1.2 No Keyboard Trap (Level A) | | | |
| Also applies to: | | | |
| Revised Section 508 | Supports | PAL does not have any Keyboard traps. | |
| • 501 (Web)(Software) | Supports | | |
| • 504.2 (Authoring Tool) | | | |
| • 602.3 (Support Docs) | | | |
| 2.2.1 Timing Adjustable (Level A) | | | |
| Also applies to: | | | |
| Revised Section 508 | Supports | PAL users are prompted with warning and having the ability to | |
| • 501 (Web)(Software) | Supports | extent the session. | |
| • 504.2 (Authoring Tool) | | | |
| 602.3 (Support Docs) | | | |
| 2.2.2 Pause, Stop, Hide (Level A) | | | |
| Also applies to: | | PAL application does not have any moving, blinking and scrolling information. | |
| Revised Section 508 | NIAT ANNIICANIA | | |
| • 501 (Web)(Software) | | | |
| • 504.2 (Authoring Tool) | | | |
| • 602.3 (Support Docs) | | | |
| 2.3.1 Three Flashes or Below Threshold (Level A) | | | |
| Also applies to: | | | |
| Revised Section 508 | Not applicable | PAL does not have any flashes. | |
| • 501 (Web)(Software) | | , | |
| • 504.2 (Authoring Tool) | | | |
| • 602.3 (Support Docs) | | | |
| 2.4.1 Bypass Blocks (Level A) | | Skip to main content links, headings and ARIA landmarks | |
| Also applies to: | | help users avoid repetitive and non-essential content. | |
| Revised Section 508 | Supports | The expanded/collapsed state of secondary form content classification and the fields are accessible. | |
| 501 (Web)(Software) – Does not apply to non- web software | | clearly indicated, and the fields are accessible. | |
| web Software | <u> </u> | | |



| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) – Does not apply to non- | | |
| web docs | | |
| 2.4.2 Page Titled (Level A) | | |
| Also applies to: | | |
| Revised Section 508 | Supports | PAL application pages have title, heading 1 and ARIA main |
| • 501 (Web)(Software) | | landmark. |
| • 504.2 (Authoring Tool) | | |
| • 602.3 (Support Docs) | | |
| 2.4.3 Focus Order (Level A) | | |
| Also applies to: | | Each page has a logical tab order and visible tab stops. |
| Revised Section 508 | Supports | • Users control their own content. |
| • 501 (Web)(Software) | | Exception: |
| • 504.2 (Authoring Tool) | | The focus is lost when you sort a data grid by column. |
| • 602.3 (Support Docs) | | |
| 2.4.4 Link Purpose (In Context) (Level A) | | |
| Also applies to: Revised Section 508 | | |
| | Supports | PAL provides tool tips for all links that will explain the purpose and |
| • 501 (Web)(Software) | | they are unique and contextual. |
| 504.2 (Authoring Tool)602.3 (Support Docs) | | |
| 3.1.1 Language of Page (Level A) | | |
| Also applies to: | | |
| Revised Section 508 | | Language of content is notified at start of page and when changed |
| • 501 (Web)(Software) | Supports | within page. |
| • 504.2 (Authoring Tool) | | Within page. |
| • 602.3 (Support Docs) | | |
| 3.2.1 On Focus (Level A) | | |
| Also applies to: | Supports | In PAL, we have visible on-focus states that use a combination of |
| Revised Section 508 | 1 | color and border effect to highlight the focused elements. |



| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 3.2.2 On Input (Level A) | | |
| Also applies to: | | |
| Revised Section 508 | Supports | PAL does not change any context when inputting a data. |
| • 501 (Web)(Software) | | A Labes not change any context when inputting a data. |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 3.3.1 Error Identification (Level A) | | |
| Also applies to: | | Error messages communicated using a combination of alerts, |
| Revised Section 508 | Supports | landmarks, headings and links. Where possible, error messages |
| • 501 (Web)(Software) | | describe each error and link to the appropriate field for resolving |
| • 504.2 (Authoring Tool) | | the error. |
| 602.3 (Support Docs) | | |
| 3.3.2 Labels or Instructions (Level A) | | Forms/Pages have clear headings, labels, field sets, and buttons. |
| Also applies to: | | Inline help provided as needed. |
| Revised Section 508 | Supports | |
| • 501 (Web)(Software) | | The expanded/collapsed state of secondary form content is clearly |
| • 504.2 (Authoring Tool) | | Indicated, and the fields are accessible. |
| • 602.3 (Support Docs) | | |
| 4.1.1 Parsing (Level A) | | |
| Also applies to: | | |
| Revised Section 508 | Supports | PAL Web pages written as per W3C specifications. |
| • 501 (Web)(Software) | · · | |
| • 504.2 (Authoring Tool) | | |
| • 602.3 (Support Docs) | | |
| 4.1.2 Name, Role, Value (Level A) | | In PAL, all the user interface components can be programmatically |
| Also applies to: | Supports | determined. |
| Revised Section 508 | | |



| Criteria | Conformance Level | Remarks and Explanations |
|--------------------------|-------------------|--------------------------|
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |

Table 2: Success Criteria, Level AA

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 1.2.4 Captions (Live) (Level AA) Also applies to: Revised Section 508 | Not Applicable | |
| 1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | PAL does not have any real time presentations or audio. |
| 1.4.3 Contrast (Minimum) (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | PAL controls, Text and images contrast ratio 4:5:1 maintained across the application with 508 supported themes. |
| 1.4.4 Resize text (Level AA) Also applies to: Revised Section 508 | Supports | User account settings are available for adjusting font face and size. Icons and text resize with browser (and other |



| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | technology) scaling/zooming options up to 200%. • All product functionalities perform well at this zoom level. |
| 1.4.5 Images of Text (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | In PAL, text of the images can be customized using localization feature. |
| 2.4.5 Multiple Ways (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | Supports | Headings, ARIA landmarks (such as navigation landmarks) and unique link and button names help users navigate pages quickly. Pages have consistent navigation areas. Many pages contain search fields with ARIA search landmarks. The system works well with search and find features built into assistive technologies. |
| 2.4.6 Headings and Labels (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | PAL application pages, controls are having proper headings and labels. Labels are unique and contextual. |
| 2.4.7 Focus Visible (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | PAL application supports keyboard focus indication on the pages. |

Page **10** of **20**



| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 3.1.2 Language of Parts (Level AA) | | |
| Also applies to: | | |
| Revised Section 508 | Supports | All the HTML pages in the PAL application will have the |
| • 501 (Web)(Software) | Supports | language tag, which is default to English. |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 3.2.3 Consistent Navigation (Level AA) | | |
| Also applies to: | | |
| Revised Section 508 | Supports | All the menus in the PAL application follows the |
| 501 (Web)(Software) – Does not apply to non-web software | Заррогез | consistent and standard navigation order. |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) – Does not apply to non-web docs | | |
| 3.2.4 Consistent Identification (Level AA) | | |
| Also applies to: | | Icons use an icon grammar to facilitate learning. The |
| Revised Section 508 | Supports | same icon used for the same action across all pages. Users may combine concepts they already understand |
| • 501 (Web)(Software) – Does not apply to non-web software | | |
| • 504.2 (Authoring Tool) | | to interpret new icons. |
| 602.3 (Support Docs) – Does not apply to non-web docs | | |
| 3.3.3 Error Suggestion (Level AA) | | |
| Also applies to: | | Error messages communicated using a combination of |
| Revised Section 508 | Supports | alerts, landmarks, headings and links. Where possible, error messages describe each error and link to the appropriate |
| 501 (Web)(Software)504.2 (Authoring Tool) | | field for resolving the error. |
| , | | included the resolving are errors |
| • 602.3 (Support Docs) | | |
| 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: | | |
| Revised Section 508 | | DAL application does not have any local or financial data |
| • 501 (Web)(Software) | Not Applicable | PAL application does not have any Legal or financial data but still in our data can checked before submitting. |
| • 504.2 (Authoring Tool) | | |
| • 602.3 (Support Docs) | | |
| - 002.3 (3αρροίτ 5003) | 1 | |





Table 3: Success Criteria, Level AAA

Notes: Deleted; Not Evaluated



Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------|--------------------|--|
| 302.1 Without Vision | Partially Supports | Supports when combined with Assistive Technology. All interfaces designed according to HTML5 standards. A screen reader can announce images and icons assigned on textual and meaningful text alternatives. Images of text not used in place of text. Controls like buttons labeled to indicate their function. Form fields labeled to perceive their intent. Links assigned meaningful texts that clearly indicate the link destination. Controls assigned appropriate labels that allow perception of their function. Standard interface elements made |





| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------|-------------------|---|
| | | evident through proper HTML |
| | | mark up. |
| 302.2 With Limited Vision | Supports | Supports when combined with Assistive Technology. All product functionalities perform well at 200% zoom level. All pages designed to wrap well when zoomed to 200%. User account settings are available for adjusting font size. Icons and text resize with browser (and other technology) Scaling/zooming options. Most pages have relative column widths. System text does not use full justification. Color contrast of foreground text with background maintained according to standard |
| 302.3 Without Perception of Color | Supports | specifications. Color alone is not used to convey the information |
| 302.4 Without Hearing | Supports | No Auditory alerts are used. |
| 302.5 With Limited Hearing | Supports | No Auditory alerts are used. |
| 302.6 Without Speech | Not Applicable | Speech Input is not required. |
| 302.7 With Limited Manipulation | Supports | Supports when combined with Assistive Technology. • Keyboard-accessible alternatives |





| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| | | provided for tools that support drag-and-drop, upload, or reordering. Current tab location is clearly visible. Users can make their click target size larger if needed via these two mechanisms: By controlling text sizes through user preferences. By controlling icon sizes through browser zoom preferences. |
| 302.8 With Limited Reach and Strength | Supports | |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Supports | Simple language is used for text content |

Chapter 4: <u>Hardware</u>

Notes: Not Applicable

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|-------------------------------------|
| 402 Closed Functionality | Heading cell – no response required | Heading cell – no response required |
| 402.1 General | Heading cell – no response required | Heading cell – no response required |
| 402.2 Speech-Output Enabled | Heading cell – no response required | Heading cell – no response required |
| 402.2.1 Information Displayed On-Screen | Not Applicable | |
| 402.2.2 Transactional Outputs | Not Applicable | |
| 402.2.3 Speech Delivery Type and Coordination | Not Applicable | |
| 402.2.4 User Control | Not Applicable | |
| 402.2.5 Braille Instructions | Not Applicable | |





| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|-------------------------------------|
| 402.3 Volume | Heading cell – no response required | Heading cell – no response required |
| 402.3.1 Private Listening | Not Applicable | |
| 402.3.2 Non-private Listening | Not Applicable | |
| 402.4 Characters on Display Screens | Not Applicable | |
| 402.5 Characters on Variable Message Signs | Not Applicable | |
| 403 Biometrics | Heading cell – no response required | Heading cell – no response required |
| 403.1 General | Not Applicable | |
| 404 Preservation of Information Provided for Accessibility | Heading cell – no response required | Heading cell – no response required |
| 404.1 General | Not Applicable | |
| 405 Privacy | Heading cell – no response required | Heading cell – no response required |
| 405.1 General | Not Applicable | |
| 406 Standard Connections | Heading cell – no response required | Heading cell – no response required |
| 406.1 General | Not Applicable | |
| 407 Operable Parts | Heading cell – no response required | Heading cell – no response required |
| 407.2 Contrast | Not Applicable | |
| 407.3 Input Controls | Heading cell – no response required | Heading cell – no response required |
| 407.3.1 Tactilely Discernible | Not Applicable | |
| 407.3.2 Alphabetic Keys | Not Applicable | |
| 407.3.3 Numeric Keys | Not Applicable | |
| 407.4 Key Repeat | Not Applicable | |
| 407.5 Timed Response | Not Applicable | |
| 407.6 Operation | Not Applicable | |
| 407.7 Tickets, Fare Cards, and Keycards | Not Applicable | |
| 407.8 Reach Height and Depth | Heading cell – no response required | Heading cell – no response required |
| 407.8.1 Vertical Reference Plane | Not Applicable | |
| 407.8.1.1 Vertical Plane for Side Reach | Not Applicable | |
| 407.8.1.2 Vertical Plane for Forward Reach | Not Applicable | |
| 407.8.2 Side Reach | Not Applicable | |





| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|-------------------------------------|
| 407.8.2.1 Unobstructed Side Reach | Not Applicable | |
| 407.8.2.2 Obstructed Side Reach | Not Applicable | |
| 407.8.3 Forward Reach | Not Applicable | |
| 407.8.3.1 Unobstructed Forward Reach | Not Applicable | |
| 407.8.3.2 Obstructed Forward Reach | Not Applicable | |
| 407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach | Not Applicable | |
| 407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach | Not Applicable | |
| 408 Display Screens | Heading cell – no response required | Heading cell – no response required |
| 408.2 Visibility | Not Applicable | |
| 408.3 Flashing | Not Applicable | |
| 409 Status Indicators | Heading cell – no response required | Heading cell – no response required |
| 409.1 General | Not Applicable | |
| 410 Color Coding | Heading cell – no response required | Heading cell – no response required |
| 410.1 General | Not Applicable | |
| <u>411 Audible Signals</u> | Heading cell – no response required | Heading cell – no response required |
| 411.1 General | Not Applicable | |
| 412 ICT with Two-Way Voice Communication | Heading cell – no response required | Heading cell – no response required |
| 412.2 Volume Gain | Heading cell – no response required | Heading cell – no response required |
| 412.2.1 Volume Gain for Wireline Telephones | Not Applicable | |
| 412.2.2 Volume Gain for Non-Wireline ICT | Not Applicable | |
| 412.3 Interference Reduction and Magnetic Coupling | Heading cell – no response required | Heading cell – no response required |
| 412.3.1 Wireless Handsets | Not Applicable | |
| 412.3.2 Wireline Handsets | Not Applicable | |
| 412.4 Digital Encoding of Speech | Not Applicable | |
| 412.5 Real-Time Text Functionality | Reserved for future | Reserved for future |
| 412.6 Caller ID | Not Applicable | |
| 412.7 Video Communication | Not Applicable | |
| 412.8 Legacy TTY Support | Heading cell – no response required | Heading cell – no response required |





| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|-------------------------------------|
| 412.8.1 TTY Connectability | Not Applicable | |
| 412.8.2 Voice and Hearing Carry Over | Not Applicable | |
| 412.8.3 Signal Compatibility | Not Applicable | |
| 412.8.4 Voice Mail and Other Messaging Systems | Not Applicable | |
| 413 Closed Caption Processing Technologies | Heading cell – no response required | Heading cell – no response required |
| 413.1.1 Decoding and Display of Closed Captions | Not Applicable | |
| 413.1.2 Pass-Through of Closed Caption Data | Not Applicable | |
| 414 Audio Description Processing Technologies | Heading cell – no response required | Heading cell – no response required |
| 414.1.1 Digital Television Tuners | Not Applicable | |
| 414.1.2 Other ICT | Not Applicable | |
| 415 User Controls for Captions and Audio Descriptions | Heading cell – no response required | Heading cell – no response required |
| 415.1.1 Caption Controls | Not Applicable | |
| 415.1.2 Audio Description Controls | Not Applicable | |

Chapter 5: Software

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|---|
| 501.1 Scope – Incorporation of WCAG 2.0 AA | See WCAG 2.0 section | See information in WCAG 2.0 section |
| 502 Interoperability with Assistive Technology | Heading cell – no response required | Heading cell – no response required |
| 502.2.1 User Control of Accessibility Features | Supports | Accessibility features native to the browser or operating system used with PAL application. When major version changes happen on windows and IE, PAL tested with OS and browser accessibility features. |
| 502.2.2 No Disruption of Accessibility Features | Supports | PAL does not disrupt any browser or OS accessibility features. |
| 502.3 Accessibility Services | Heading cell – no response required | Heading cell – no response required |





| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|--|
| 502.3.1 Object Information | Not Applicable | Not a platform software or tool. |
| 502.3.2 Modification of Object Information | Not Applicable | |
| 502.3.3 Row, Column, and Headers | Not Applicable | |
| 502.3.4 Values | Not Applicable | |
| 502.3.5 Modification of Values | Not Applicable | |
| 502.3.6 Label Relationships | Not Applicable | |
| 502.3.7 Hierarchical Relationships | Not Applicable | |
| 502.3.8 Text | Not Applicable | |
| 502.3.9 Modification of Text | Not Applicable | |
| 502.3.10 List of Actions | Not Applicable | |
| 502.3.11 Actions on Objects | Not Applicable | |
| 502.3.12 Focus Cursor | Not Applicable | |
| 502.3.13 Modification of Focus Cursor | Not Applicable | |
| 502.3.14 Event Notification | Not Applicable | |
| 502.4 Platform Accessibility Features | Not Applicable | |
| 503 Applications | Heading cell – no response required | Heading cell – no response required |
| 503.2 User Preferences | Not Applicable | PAL being a web application is not required to conform to 503.2. |
| 503.3 Alternative User Interfaces | Not Applicable | Alternative user interface not provided |
| 503.4 User Controls for Captions and Audio Description | Heading cell – no response required | Heading cell – no response required |
| 503.4.1 Caption Controls | Not Applicable | PAL does not have cations and audio descriptions |
| 503.4.2 Audio Description Controls | Not Applicable | |
| 504 Authoring Tools | Heading cell – no response required | Heading cell – no response required |
| 504.2 Content Creation or Editing (if not authoring tool, enter "not applicable") | See WCAG 2.0 section | See information in WCAG 2.0 section |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable | HTML editor provided for creating content and discussion posts |
| 504.2.2 PDF Export | Supports | PAL application supports export of |





| Criteria | Conformance Level | Remarks and Explanations |
|-----------------|-------------------|--------------------------|
| | | documents in PDF format. |
| 504.3 Prompts | Not Applicable | |
| 504.4 Templates | Not Applicable | |

Chapter 6: Support Documentation and Services

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 601.1 Scope | Heading cell – no response required | Heading cell – no response required |
| 602 Support Documentation | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | Supports | PAL manuals are compatible with accessibility features. |
| 602.3 Electronic Support Documentation | See WCAG 2.0 section | See information in WCAG 2.0 section |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Not Applicable | Support documentation provided electronically. |
| 603 Support Services | Heading cell – no response required | Heading cell – no response required |
| 603.2 Information on Accessibility and Compatibility Features | Supports | |
| 603.3 Accommodation of Communication Needs | Supports | Accessible support services provided via phone and email. |

Legal Disclaimer

OPEXUS software and documentation have been tested and reviewed. Nevertheless, OPEXUS makes no warranty or representation, either express or implied, with respect to the software and documentation included. In no event will OPEXUS be liable for direct, indirect, special, incidental, or consequential damages resulting from any defect in the software or documentation included with these products. In particular, OPEXUS shall have no liability for any programs or data used with these products, including the cost of recovering such programs or data.